

Flat Glass

General Catalogue



EN

Flat Glass Technology

Copyright © 2022 BOTTERO S.p.A. All Rights Reserved

we • glass

we ●


glass

we **know** glass, we **love** glass

As a global leader in flat glass and hollow glass processing technology, we have been helping to shape one of the most beautiful and useful materials in the world for over 60 years. Its unique qualities, combined with the passion for technology and innovation, guide us in seeking for newer and more effective solutions to improve and expand its use.

548

BO



A complete range of cutting machines for laminated glass. From stand alone machines to high automation lines, this complete range is identified by its high level of modularity, automation and use facility.

511 LAM-S

Semi-automatic machine for cutting, breaking and separating of laminated glass.
The model Lamilinea 511 LAM-S is composed by complete central module (with micro-plc), table with manual positioning, laser projector for diagonal cuts positioning, glass cutting low-e 8+8+4,56 (PVB), super heating element and squaring bridge for glass positioning.

Plank Type	Stand Alone
Processed glass	Laminated
Processing	Cut Only
Automation level	★ ★ ● ● ●

Evaluation based on comparison with other Bottero products of the same category.





Technical features

	Metric	Imperial
Max cut	3700 mm	146"
Max cutting speed	65 m/min	2560 ipm
Min glass thickness	2 ÷ 0,38 PVB ÷ 2 mm	5/64" ÷ 0,015" PVB ÷ 5/64"
Max glass thickness	8 ÷ 4,56 PVB ÷ 8 mm	5/16" ÷ 0,180" ÷ 5/16"